

Filed on:

3:57 pm, Jan 30, 2025

Gas Services Department
Railroad Commission of Texas

VEX-BH No. 2.6.0
(Cancels VEX-BH No. 2.5.0)

VICTORIA EXPRESS PIPELINE, L.L.C.

LOCAL PIPELINE TARIFF

CONTAINING RATES APPLYING TO THE TRANSPORTATION OF

CRUDE PETROLEUM AND PETROLEUM CONDENSATE

**From Blackhawk Central Delivery Point and Cuero Transfer Station in Dewitt County,
Texas to Port of Victoria**

Governed, except as otherwise provided by Victoria Express Pipeline, L.L.C.'s Rules and Regulations Tariff, VEX-BH No 2.3.0 and supplements thereto and reissues thereof. Capitalized terms used herein and not otherwise defined have the meanings set out in such Rules and Regulations Tariff.

The provisions published herein—if effective—will not result in an effect on the quality of the human environment.

T-4 Permit No. 08929 P-5 No. 885503

EFFECTIVE: ~~August 1, 2023~~ [W] February 1, 2025

Issued and Compiled by:

Greg Mills-[W] **Kevin Lupton**

Victoria Express Pipeline, L.L.C.

~~17 S. Briar Hollow Ln.~~ [W] Wortham Tower

Houston, Texas 77027 [W] 2727 Allen Parkway, 9th Floor

[W] Houston, TX 77019

~~(713) 881-3508~~ [W] 713-806-9395

GregM@Gulfmarkenergy.com [W] kevin.lupton@gulfmarkenergy.com

RATES

(Rates in United States Dollars per barrel)

LOCAL PROPORTIONAL RATES		
ORIGIN	DESTINATION	UNCOMMITTED ⁽¹⁾
Blackhawk Central Delivery Point, DeWitt County, Texas	Inlet flange of GulfMark Terminals, LLC Port of Victoria Facilities	\$0.6172 [I] \$0.6890
Cuero Transfer Station, DeWitt County, Texas	Inlet flange of GulfMark Terminals, LLC Port of Victoria Facilities	\$0.6172 [I] \$0.6890
Cuero Transfer Station, DeWitt County, Texas	GulfMark Terminals, LLC Port of Victoria Facilities	\$0.6172 [I] \$0.6890

(1) All rates apply to the Gross Standard Volume measure at the origin

Loading Charge: In addition to the above, a charge of fifteen cents (15.00¢) per barrel will be made as a charge for handling truck receipts at the Cuero Transfer Station origin.

Explanation of Reference Marks:

[I] Increase.
[W] Change in Wording only.